

F08USF (CHBGST/ZHBGST) – NAG Fortran Library Routine Document

Note. Before using this routine, please read the Users' Note for your implementation to check the interpretation of bold italicised terms and other implementation-dependent details.

1 Purpose

F08USF (CHBGST/ZHBGST) reduces a complex Hermitian-definite generalized eigenproblem $Az = \lambda Bz$ to the standard form $Cy = \lambda y$, where A and B are band matrices, A is a complex Hermitian matrix, and B has been factorized by F08UTF (CPBSTF/ZPBSTF).

2 Specification

```
SUBROUTINE F08USF(VECT, UPLO, N, KA, KB, AB, LDAB, BB, LDBB, X,
1                  LDX, WORK, RWORK, INFO)
ENTRY      chbgst(VECT, UPLO, N, KA, KB, AB, LDAB, BB, LDBB, X,
1                  LDX, WORK, RWORK, INFO)
INTEGER      N, KA, KB, LDAB, LDBB, LDX, INFO
complex      AB(LDAB,*), BB(LDBB,*), X(LDX,*), WORK(*)
real          RWORK(*)
CHARACTER*1   VECT, UPLO
```

The ENTRY statement enables the routine to be called by its LAPACK name.

3 Description

To reduce the complex Hermitian-definite generalized eigenproblem $Az = \lambda Bz$ to the standard form $Cy = \lambda y$, where A , B and C are banded, this routine must be preceded by a call to F08UTF (CPBSTF/ZPBSTF) which computes the split Cholesky factorization of the positive-definite matrix B : $B = S^H S$. The split Cholesky factorization, compared with the ordinary Cholesky factorization, allows the work to be approximately halved.

This routine overwrites A with $C = X^H A X$, where $X = S^{-1} Q$ and Q is a unitary matrix chosen (implicitly) to preserve the bandwidth of A . The routine also has an option to allow the accumulation of X , and then, if z is an eigenvector of C , Xz is an eigenvector of the original system.

4 References

- [1] Crawford C R (1973) Reduction of a band-symmetric generalized eigenvalue problem *Comm. ACM* **16** 41–44
- [2] Kaufman L (1984) Banded eigenvalue solvers on vector machines *ACM Trans. Math. Software* **10** 73–86

5 Parameters

1: VECT — CHARACTER*1 *Input*

On entry: indicates whether X is to be returned as follows:

if VECT = 'N', then X is not returned;
if VECT = 'V', then X is returned.

Constraint: VECT = 'N' or 'V'.

2: UPLO — CHARACTER*1 *Input*

On entry: indicates whether the upper or lower triangular part of A is stored as follows:

if UPLO = 'U', then the upper triangular part of A is stored;

if $\text{UPLO} = \text{'L'}$, then the lower triangular part of A is stored.

Constraint: $\text{UPLO} = \text{'U'}$ or 'L' .

3: N — INTEGER

Input

On entry: n , the order of the matrices A and B .

Constraint: $N \geq 0$.

4: KA — INTEGER

Input

On entry: k_A , the number of super-diagonals of the matrix A if $\text{UPLO} = \text{'U'}$, or the number of sub-diagonals if $\text{UPLO} = \text{'L'}$.

Constraint: $KA \geq 0$.

5: KB — INTEGER

Input

On entry: k_B , the number of super-diagonals of the matrix B if $\text{UPLO} = \text{'U'}$, or the number of sub-diagonals if $\text{UPLO} = \text{'L'}$.

Constraint: $KA \geq KB \geq 0$.

6: $AB(\text{LDAB},*)$ — **complex** array

Input/Output

Note: the second dimension of the array AB must be at least $\max(1,N)$.

On entry: the n by n Hermitian band matrix A , stored in rows 1 to $k_A + 1$. More precisely, if $\text{UPLO} = \text{'U'}$, the elements of the upper triangle of A within the band must be stored with element a_{ij} in $AB(k_A + 1 + i - j, j)$ for $\max(1, j - k_A) \leq i \leq j$; if $\text{UPLO} = \text{'L'}$, the elements of the lower triangle of A within the band must be stored with element a_{ij} in $AB(1 + i - j, j)$ for $j \leq i \leq \min(n, j + k_A)$.

On exit: the upper or lower triangle of A is overwritten by the corresponding upper or lower triangle of C as specified by UPLO .

7: $LDAB$ — INTEGER

Input

On entry: the first dimension of the array AB as declared in the (sub)program from which F08USF (CHBGST/ZHBGST) is called.

Constraint: $LDAB \geq KA+1$.

8: $BB(\text{LDBB},*)$ — **complex** array

Input

Note: the second dimension of the array BB must be at least $\max(1,N)$.

On entry: the banded split Cholesky factor of B as specified by UPLO , N and KB and returned by F08UTF (CPBSTF/ZPBSTF).

9: $LDBB$ — INTEGER

Input

On entry: the first dimension of the array BB as declared in the (sub)program from which F08USF (CHBGST/ZHBGST) is called.

Constraint: $LDBB \geq KB+1$.

10: $X(\text{LDX},*)$ — **complex** array

Output

Note: the second dimension of the array X must be at least $\max(1,N)$ if $\text{VECT} = \text{'V'}$, and at least 1 if $\text{VECT} = \text{'N'}$.

On exit: the n by n matrix $X = S^{-1}Q$, if $\text{VECT} = \text{'V'}$.

X is not referenced if $\text{VECT} = \text{'N'}$.

11: LDX — INTEGER	<i>Input</i>
<i>On entry:</i> the first dimension of the array X as declared in the (sub)program from which F08USF (CHBGST/ZHBGST) is called.	
<i>Constraints:</i>	
LDX $\geq \max(1, N)$ if VECT = 'V', LDX ≥ 1 if VECT = 'N'.	
12: WORK(*) — <i>complex</i> array	<i>Workspace</i>
Note: the dimension of the array WORK must be at least $\max(1, N)$.	
13: RWORK(*) — <i>real</i> array	<i>Workspace</i>
Note: the dimension of the array RWORK must be at least $\max(1, N)$.	
14: INFO — INTEGER	<i>Output</i>
<i>On exit:</i> INFO = 0 unless the routine detects an error (see Section 6).	

6 Error Indicators and Warnings

INFO < 0

If INFO = $-i$, the i th parameter had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

Forming the reduced matrix C is a stable procedure. However it involves implicit multiplication by B^{-1} . When the routine is used as a step in the computation of eigenvalues and eigenvectors of the original problem, there may be a significant loss of accuracy if B is ill-conditioned with respect to inversion.

8 Further Comments

The total number of real floating-point operations is approximately $20n^2k_B$, when VECT = 'N', assuming $n \gg k_A, k_B$; there are an additional $5n^3(k_B/k_A)$ operations when VECT = 'V'.

The real analogue of this routine is F08UEF (SSBGST/DSBGST).

9 Example

To compute all the eigenvalues of $Az = \lambda Bz$, where

$$A = \begin{pmatrix} -1.13 + 0.00i & 1.94 - 2.10i & -1.40 + 0.25i & 0.00 + 0.00i \\ 1.94 + 2.10i & -1.91 + 0.00i & -0.82 - 0.89i & -0.67 + 0.34i \\ -1.40 - 0.25i & -0.82 + 0.89i & -1.87 + 0.00i & -1.10 - 0.16i \\ 0.00 + 0.00i & -0.67 - 0.34i & -1.10 + 0.16i & 0.50 + 0.00i \end{pmatrix}$$

and

$$B = \begin{pmatrix} 9.89 + 0.00i & 1.08 - 1.73i & 0.00 + 0.00i & 0.00 + 0.00i \\ 1.08 + 1.73i & 1.69 + 0.00i & -0.04 + 0.29i & 0.00 + 0.00i \\ 0.00 + 0.00i & -0.04 - 0.29i & 2.65 + 0.00i & -0.33 + 2.24i \\ 0.00 + 0.00i & 0.00 + 0.00i & -0.33 - 2.24i & 2.17 + 0.00i \end{pmatrix}.$$

Here A is Hermitian, B is Hermitian positive-definite, and A and B are treated as band matrices. B must first be factorized by F08UTF (CPBSTF/ZPBSTF). The program calls F08USF (CHBGST/ZHBGST) to reduce the problem to the standard form $Cy = \lambda y$, then F08HSF (CHBTRD/ZHBTRD) to reduce C to tridiagonal form, and F08JFF (SSTERF/DSTERF) to compute the eigenvalues.

9.1 Program Text

Note. The listing of the example program presented below uses bold italicised terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```

* F08USF Example Program Text.
* Mark 19 Release. NAG Copyright 1999.
* ... Parameters ...
  INTEGER          NIN, NOUT
  PARAMETER        (NIN=5,NOUT=6)
  INTEGER          NMAX, KMAX, LDAB, LDBB, LDX
  PARAMETER        (NMAX=8,KMAX=8,LDAB=KMAX-1,LDBB=KMAX-1,LDX=NMAX)
* ... Local Scalars ...
  INTEGER          I, INFO, J, KA, KB, N
  CHARACTER        UPTO
* ... Local Arrays ...
  complex          AB(LDAB,NMAX), BB(LDBB,NMAX), WORK(NMAX),
+                  X(LDX,NMAX)
  real              D(NMAX), E(NMAX-1), RWORK(NMAX)
* ... External Subroutines ...
  EXTERNAL         ssterf, chbgst, chbtrd, cpbstf
* ... Intrinsic Functions ...
  INTRINSIC        MAX, MIN
* ... Executable Statements ...
  WRITE (NOUT,*) 'F08USF Example Program Results'
* Skip heading in data file
  READ (NIN,*)
  READ (NIN,*) N, KA, KB
  IF (N.LE.NMAX .AND. KA.LE.KMAX .AND. KB.LE.KA) THEN
*
* Read A and B from data file
*
  READ (NIN,*) UPTO
  IF (UPTO.EQ.'U') THEN
    DO 20 I = 1, N
      READ (NIN,*) (AB(KA+1+I-J,J),J=I,MIN(N,I+KA))
20    CONTINUE
    DO 40 I = 1, N
      READ (NIN,*) (BB(KB+1+I-J,J),J=I,MIN(N,I+KB))
40    CONTINUE
    ELSE IF (UPTO.EQ.'L') THEN
      DO 60 I = 1, N
        READ (NIN,*) (AB(1+I-J,J),J=MAX(1,I-KA),I)
60    CONTINUE
      DO 80 I = 1, N
        READ (NIN,*) (BB(1+I-J,J),J=MAX(1,I-KB),I)
80    CONTINUE
    END IF
*
* Compute the split Cholesky factorization of B
*
  CALL cpbstf(UPTO,N,KB,BB,LDBB,INFO)
*
  WRITE (NOUT,*) 
  IF (INFO.GT.0) THEN
    WRITE (NOUT,*) 'B is not positive-definite.'
  ELSE
*
* Reduce the problem to standard form C*y = lambda*y, storing

```

```

*           the result in A
*
*           CALL chbgst('N',UPLO,N,KA,KB,AB,LDAB,BB,LDBB,X,LDX,WORK,
+                           RWORK,INFO)
*
*           Reduce C to tridiagonal form T = (Q**H)*C*Q
*
*           CALL chbtrd('N',UPLO,N,KA,AB,LDAB,D,E,X,LDX,WORK,INFO)
*
*           Calclate the eigenvalues of T (same as C)
*
*           CALL ssterf(N,D,E,INFO)
*
*           IF (INFO.GT.0) THEN
*               WRITE (NOUT,*) 'Failure to converge.'
*           ELSE
*
*               Print eigenvalues
*
*               WRITE (NOUT,*) 'Eigenvalues'
*               WRITE (NOUT,99999) (D(I),I=1,N)
*           END IF
*           END IF
*           END IF
*           STOP
*
* 99999 FORMAT (3X,(8F8.4))
* END

```

9.2 Program Data

```

F08USF Example Program Data
 4  2  1                      :Values of N, KA and KB
  'L'                         :Value of UPLO
  (-1.13,  0.00)
  ( 1.94,  2.10)  (-1.91,  0.00)
  (-1.40,-0.25)  (-0.82,  0.89)  (-1.87,  0.00)
                  (-0.67,-0.34)  (-1.10,  0.16)  ( 0.50,  0.00)  :End of matrix A
  ( 9.89,  0.00)
  ( 1.08,  1.73)  ( 1.69,  0.00)
                  (-0.04,-0.29)  ( 2.65,  0.00)
                  (-0.33,-2.24)  ( 2.17,  0.00)  :End of matrix B

```

9.3 Program Results

F08USF Example Program Results

Eigenvalues
-6.6089 -2.0416 0.1603 1.7712
